

ION + Select Electrolyte Formula - Advanced Hydration Matrix  
 SKU: ROC617 Date: 1/21/2026 | Verified Third Party Lab | Lot# 0821566410

## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	ION + Select Electrolyte Formula - Advanced Hydration Matrix		
<b>Product SKU</b>	ROC617	<b>Date Published</b>	2026

ANALYSIS	METHOD	SPECIFICATION	RESULTS	STATUS
<b>Standard Laboratory Analysis</b>				
Appearance	Visual	White to Off-White Powder	Pass	PASS
Color of Solution	Mixed with Water	Clear to Light Solution	Pass	PASS
Assay	USP <197A>	NLT 95%	Pass	PASS
<b>Microbiology</b>				
Total Plate Count	Biolumix	< 100,000 cfu/g	< 100,000 cfu/g	PASS
Total Coliform	Biolumix	< 1,000 cfu/g	< 1,000 cfu/g	PASS
E. coli	Biolumix	None Detected	None Detected	PASS
Salmonella spp.	AOAC 2013.01 <Vidas>	None Detected	None Detected	PASS
Yeasts & Molds	Biolumix	< 10,000 cfu/g	< 10,000 cfu/g	PASS

<b>Final Disposition</b>
PASS

This product has been reviewed and approved by our FDA Approved Lab located in the United States of America.

The results reported in this Certificate of Analysis (COA) are truthful and representative of the lot. The finished product and all raw materials used to manufacture the batch have been found to meet required specification limits in accordance with 21 CFR 111 (cGMP) regulations and the product is duly released.

### Final Report Details:

- **Product Name:** ION + Select Electrolyte Formula - Advanced Hydration Matrix
- **SKU:** ROC617

- **Analysis:** Standard lab analysis including Appearance, Solution Color, and Assay (USP <197A>) all verified as **PASS**.
- **Microbiology:** Full screening for Total Plate Count, Coliform, E. coli, Salmonella, and Yeasts & Molds confirmed as **PASS**.
- **Disposition:** Final Status is "**PASS**".