

Organic Beetroot Capsules - Natural Nitric Oxide & Endurance
 SKU: ROC914 Date: 1/21/2026 | Verified Third Party Lab

CERTIFICATE OF ANALYSIS

Product Name	Organic Beetroot Capsules - Natural Nitric Oxide & Endurance		
Product SKU	ROC914	Lot Number	BR220621
Received Date	06/28/2022	Country of Origin	USA

ANALYSIS	METHOD	SPECIFICATION	RESULTS	STATUS
Identity / Physical Properties				
Identity Test by NIR	USP <1119>	Organic Beetroot	Confirmed	PASS
Appearance	Visual	Purple Capsule	Confirmed	PASS
Odor	Organoleptic	Characteristic	Confirmed	PASS
Average Net Fill Weight	WI.USP.2091.02	612.90 - 749.10 mg	681.00 mg	PASS
Purity (Heavy Metals)				
Arsenic (As)	USP <2232>	< 15 ppm	0.075 ppm	PASS
Cadmium (Cd)	USP <2232>	< 5 ppm	0.042 ppm	PASS
Lead (Pb)	USP <2232>	< 5 ppm	0.131 ppm	PASS
Mercury (Hg)	USP <2232>	< 15 ppm	< 0.001 ppm	PASS
Microbiology				
Total Plate Count	AOAC 2015.13	< 100,000 cfu/g	< 100,000 cfu/g	PASS
Escherichia coli	Biolumix	None Detected	None Detected	PASS
Salmonella spp.	AOAC 2013.01	None Detected	None Detected	PASS
Staphylococcus aureus	Biolumix	None Detected	None Detected	PASS

Final Disposition
PASS

This product has been reviewed and approved by our FDA Approved Lab located in the United States of America.

The results reported in this Certificate of Analysis (COA) are truthful and representative of the lot. The finished product and all raw materials used to manufacture the batch have been found to meet required specification limits in accordance with 21 CFR 111 (cGMP) regulations and the product is duly released.

Analytical Highlights for Lot #BR220621:

- **Identity & Physical Attributes:** Identity confirmed via **NIR (Near-Infrared Spectroscopy)** according to USP <1119>. Verified as purple capsules with an average net fill weight of **681.00 mg**.
- **Safety & Purity:**
 - **Heavy Metals:** Confirmed compliance with USP <2232> standards for Arsenic (**0.075 ppm**), Cadmium (**0.042 ppm**), Lead (**0.131 ppm**), and Mercury (**< 0.001 ppm**).
 - **Microbiology:** Full safety screening confirmed as **PASS** for pathogens including *E. coli*, *Salmonella*, and *S. aureus*. Total Plate Count recorded within safe limits.
- **Final Disposition: PASS**