

Collagen Gummies - Hydrolyzed Collagen for Hair, Skin & Nails
 SKU: ROC924 Date: 1/21/2026 | Verified Third Party Lab

CERTIFICATE OF ANALYSIS

Product Name	Collagen Gummies - Hydrolyzed Collagen for Hair, Skin & Nails		
Product SKU	ROC924	Lot Number	225055801
Received Date	11/11/2022	Country of Origin	USA

ANALYSIS	METHOD	SPECIFICATION	RESULTS	STATUS
Vitamins & Potency (per serving)				
Vitamin C	WI.HPLC.303.05	> 25 mg	43.694 mg	PASS
Vitamin B7 (Biotin)	WI.HPLC.306.07	> 1250 mcg	1449.083 mcg	PASS
Physical Properties				
Serving Size	SNL.MA.210	1.00 Capsule	1.00 Capsule	PASS
Average Net Fill Weight	WI.USP.2091.02	N/A	3019.70 mg	PASS
Purity (Heavy Metals)				
Arsenic (As)	USP <2232>	< 15 ppm	< 0.001 ppm	PASS
Cadmium (Cd)	USP <2232>	< 5 ppm	0.009 ppm	PASS
Lead (Pb)	USP <2232>	< 5 ppm	0.011 ppm	PASS
Mercury (Hg)	USP <2232>	< 15 ppm	< 0.001 ppm	PASS
Microbiology				
Total Plate Count	Biolumix	< 100,000 cfu/g	< 100,000 cfu/g	PASS
Total Coliform	Biolumix	< 1,000 cfu/g	< 1,000 cfu/g	PASS
Escherichia coli	PCR	None Detected	None Detected	PASS
Salmonella spp.	PCR	None Detected	None Detected	PASS
Yeasts & Molds	AOAC Modified	< 10,000 cfu/g	< 100 cfu/g	PASS

Final Disposition
PASS

This product has been reviewed and approved by our FDA Approved Lab located in the United States of America.

The results reported in this Certificate of Analysis (COA) are truthful and representative of the lot. The finished product and all raw materials used to manufacture the batch have been found to meet required specification limits in accordance with 21 CFR 111 (cGMP) regulations and the product is duly released.

Analytical Highlights for Lot #225055801:

- **Nutrient Potency:** Verified high levels of **Vitamin C (43.694 mg)** and **Biotin (1449.083 mcg)** per serving, significantly exceeding label minimums for beauty support.
- **Safety & Purity:**
 - **Heavy Metals:** Confirmed compliance with USP <2232> standards for Arsenic, Cadmium, Lead, and Mercury, with results recorded at safe parts-per-million (ppm) levels.
 - **Microbiology:** Full safety screening confirmed as **PASS** for pathogens including *E. coli* and *Salmonella*. Yeast and Mold recorded at an exceptionally clean level of **< 100 cfu/g**.
- **Physical Metrics:** Average net fill weight confirmed at **3019.70 mg**.
- **Final Disposition:** **PASS**