

Turmeric Gummies - Natural Anti-Inflammatory & Recovery Support
 SKU: ROC928 Date: 1/21/2026 | Verified Third Party Lab

CERTIFICATE OF ANALYSIS

Product Name	Turmeric Gummies - Natural Anti-Inflammatory & Recovery Support		
Product SKU	ROC928	Lot Number	225167401
Received Date	09/19/2022	Country of Origin	USA

ANALYSIS	METHOD	SPECIFICATION	RESULTS	STATUS
Identity / Physical Properties				
Identity Test by NIR	USP <1119>	Turmeric Gummies	Confirmed	PASS
Appearance	SNL.MA.202	Gummies	Gummies	PASS
Color	SNL.MA.202	Orange	Orange	PASS
Odor	SNL.MA.202	Characteristic	Characteristic	PASS
Purity (Heavy Metals)				
Arsenic (As)	USP <2232>	< 15 ppm	0.008 ppm	PASS
Cadmium (Cd)	USP <2232>	< 5 ppm	0.001 ppm	PASS
Lead (Pb)	USP <2232>	< 5 ppm	0.007 ppm	PASS
Mercury (Hg)	USP <2232>	< 15 ppm	< 0.001 ppm	PASS
Microbiology				
Total Plate Count	Biolumix	< 100,000 cfu/g	< 100,000 cfu/g	PASS
Total Coliform	Biolumix	< 1,000 cfu/g	< 1,000 cfu/g	PASS
Escherichia coli	Biolumix	None Detected	None Detected	PASS
Salmonella spp.	AOAC 2013.01	None Detected	None Detected	PASS
Staphylococcus aureus	Biolumix	None Detected	None Detected	PASS
Yeasts & Molds	Biolumix	< 10,000 cfu/g	< 10,000 cfu/g	PASS

Final Disposition
PASS

This product has been reviewed and approved by our FDA Approved Lab located in the United States of America.

The results reported in this Certificate of Analysis (COA) are truthful and representative of the lot. The finished product and all raw materials used to manufacture the batch have been found to meet required specification limits in accordance with 21 CFR 111 (cGMP) regulations and the product is duly released.

Analytical Highlights for Lot #225167401:

- **Identity & Physical Attributes:** Identity confirmed via **NIR (Near-Infrared Spectroscopy)** according to USP <1119>. Verified as orange gummies with a characteristic odor.
- **Safety & Purity:**
 - **Heavy Metals:** Confirmed compliance with USP <2232> standards for Arsenic (**0.008 ppm**), Cadmium (**0.001 ppm**), Lead (**0.007 ppm**), and Mercury (< **0.001 ppm**).
 - **Microbiology:** Full safety screening confirmed as **PASS** for pathogens including *E. coli*, *Salmonella*, and *S. aureus*. All aerobic plate counts and yeast/mold levels recorded within safe ranges.
- **Final Disposition: PASS**